BACK TO NATURE



READY STRIP GRAFFITI REMOVER ENVIRONMENTALLY FRIENDLY TECHNICAL DATA SHEET

Description: Back To Nature (BTN) Ready Strip Graffiti Remover is an environmentally friendly, waterbased, biodegradable, non-flammable way of removing unwanted aerosol spray paints, etc.from many surfaces.

Removes: Most varieties of aerosol paint, enamels, acrylics, oil and water-based paints, primers, semigloss and gloss paints, lacquers, and sealers. Effective removing other graffiti type marks such as ink, crayon, magic marker, dyes, lipstick, shoe polish, etc.

Surfaces: It works on most surfaces including brick, concrete, stone, cinder block, stucco, street signs, metal, steel & aluminum, vinyl and fiberglass. Also works on wood and plaster. BTN Ready Strip Graffiti Remover is not to be used on sheetrock, plastic, rubber, linoleum, clothing or carpets.

On painted surfaces, care should be taken to remove the graffiti before the product penetrates the painted surface because it can soften paint (do a test first).

SHAKE BOTTLE BEFORE USE.

TEST PATCH- Always do a test on an inconspicuous area first to determine results.

Application and Removal:

- 1. Mask any areas not being removed of graffiti with plastic and masking tape.
- 2. Apply at temperatures between 60° and 80° F. Apply BTN Ready Strip Graffiti Remover liberally to the surface. On vertical surfaces, apply as heavily as possible.
- 3. Leave stripper on approximately ½ hour to 1 hour.
- 4. On <u>non-porous surfaces</u> wipe the surface with a clean cloth or towel.
- 5. On <u>porous surfaces</u> such as brick and concrete, use a stiff bristle brush or wire brush to loosen and agitate graffiti marks. Then scrape off, hose off with water, or use pressure washer with appropriate pressure to remove graffiti.
- 6. After initial lifting, use a nylon brush or stripping pad with Ready-Strip Wash or light amounts of water for final clean-up of residue.
- 7. Repeat for tough, stubborn marks and stains.
- **8.** Clean up with water. Surface should be dry before applying any graffiti resistant coating.

Safety Instructions: Rubber gloves and safety glasses are recommended for eye and skin protection. Avoid eye contact. If eye contact occurs, immediately flush with plenty of water for 15 minutes. Avoid prolonged and repeated contact with skin. If skin contact occurs, wash with soap and water. Do not take internally. If swallowed do not induce vomiting. Give 1 or 2 glasses of water and call a physician immediately. Provide adequate ventilation in confined areas.

SUNNYSIDE CORPORTATION-225 CARPENTER AVENENUE; WHEELING, IL 60090 PH:1-800-323-8611 FAX:847-541-9043 WWW.SUNNYSIDECORP.COM