



sunnyside

TSP substitute

sustituto del fosfato trisódico



For additional product information,
visit [www.sunnysidecorp.com/
tspsubstitute](http://www.sunnysidecorp.com/tspsubstitute)

Cleans and prepares surfaces for painting
Ready to use
Phosphate-free

DANGER! HARMFUL IF SWALLOWED.
MAY CAUSE EYE BURNS OR SKIN IRRITATION.
KEEP OUT OF REACH OF CHILDREN.
Read other cautions elsewhere on container.
Use only as directed.

¡PELIGRO! DAÑO SI SE INGIERE. PUEDE CAUSAR
QUEMADURAS DE LOS OJOS O IRRITACIÓN DE LA PIEL.
MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.
Lea las otras advertencias que aparecen en otra parte
de la etiqueta. Usar únicamente como se indica.

32 FL.OZ. (1QT.) ■ .9463 LITER



Product #64332G

For questions or comments about
this product, call 1-800-323-8611
or visit us on the web at
www.sunnysidecorp.com



Consumer Products Division
Wheeling, IL 60090-6095
© 2013 S.C.

Sunnyside ready-to-use TSP SUBSTITUTE
is recommended for cleaning and preparing indoor and outdoor
surfaces before painting. TSP SUBSTITUTE will improve paint adhesion when
working with surfaces that are not perfectly clean.

DIRECTIONS: Dampen a clean cloth liberally with TSP SUBSTITUTE and apply full strength over
an area of three or four square feet at a time. Change the cloth or use clean surface of cloth to avoid
redepositing loosened grime. All surfaces should be thoroughly rinsed with water and allowed to dry before
refinishing. Be sure to wipe up drips or spills on surfaces that might be subject to water spotting.

INSTRUCCIONES: Humedezca abundantemente un trapo limpio con TSP SUBSTITUTE y aplique sin diluir sobre un área
de tres o cuatro pies cuadrados en una sola vez. Cambie el trapo o use la parte limpia del trapo para evitar que cualquier traza
de suciedad que haya quedado suelta se vuelva a depositar sobre la superficie. Todas las superficies se deben enjuagar
totalmente con agua y dejar secar antes de volver a aplicar el acabado. Asegúrese de secar gotas o derrames sobre las
superficies que podrían estar expuestas a salpicaduras de agua.

CAUTIONS: CONTAINS SODIUM METASILICATE. Harmful if swallowed. May cause eye burns or skin irritation. Do not take
internally. Avoid contact with eyes or prolonged contact with skin. Protect surfaces such as carpets, rugs or furniture, as sodium
meta silicate may cause stains or discoloration. Close container after each use. Do not transfer contents to unlabeled containers.
WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND
BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.

FIRST AID: If swallowed, do not induce vomiting. Drink large quantities of water. Never give anything by mouth to an unconscious
person. Call poison control center, hospital emergency room or physician for instructions. In case of eye contact, immediately flush
with water for at least fifteen minutes. Get medical attention. In case of skin contact, wash with soap and water. If irritation persists,
get medical attention.

KEEP OUT OF REACH OF CHILDREN.

California SCAQMD Rule 443.1:Max. VOC 12 g/L; Max Vapor Pressure of VOC: 0.2 mm Hg. Non-photochemically Reactive.

ADVERTENCIA: CONTIENE METASILICATO DE SODIO. Dañino si se ingiere. Puede causar quemaduras de los ojos o irritación
de la piel. No lo ingiera. Evite el contacto con los ojos o el contacto prolongado con la piel. Proteja superficies como alfombras,
tapetes o muebles ya que el metasilicato de sodio puede manchar o decolorar. Cierre el envase después de cada uso. No
transvase el contenido a envases sin etiqueta.

ADVERTENCIA: ESTE PRODUCTO CONTIENE SUSTANCIAS QUÍMICAS QUE EL ESTADO DE CALIFORNIA SABE QUE
CAUSAN CÁNCER, DEFECTOS DE NACIMIENTO Y OTROS DAÑOS REPRODUCTIVOS.

PRIMEROS AUXILIOS: En caso de ingesta, no provoque el vómito. Tome agua en grandes cantidades. No suministre nunca
nada por vía oral a una persona desvanecida. Llame a un centro de asistencia contra envenenamientos, a la sala de
emergencia de un hospital o a un médico para obtener instrucciones. En caso de contacto con los ojos, enjuague de inmediato
con agua por no menos de 15 minutos. Obtenga atención médica. En caso de contacto con la piel, lávese con agua y jabón.
Si la irritación persiste, obtenga atención médica.

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.

California SCAQMD Regla 443.1: VOC máx.: 12 g/L; Presión máx. del vapor de VOC: 0.2 mm Hg. No es fotoquímicamente reactivo.