Product Number 704

SAFETY DATA SHEET

Revision Number 2

Issuing Date No data available

Revision Date 05/29/15

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product identifier

Product Name Sunnyside Specs Paint Thinner

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Paint Thinner (*Note Future CARB requirements: 2013 - 3 wt%)

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Sunnyside Corporation **Supplier Address** 225 Carpenter Avenue

Wheeling

IL 60090

US **Supplier Phone Number** Phone:8003238611

Fax:8475419043

Supplier Email sscontact@sunnysidecorp.com Emergency telephone number Chem Trec 8004249300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity	Category 1
Flammable liquids	Category 3



GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Hazard Statements

May be fatal if swallowed and enters airways Flammable liquid and vapor



Appearance Clear Physical State Liquid Odor Petroleum distillates

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

None

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity



Page 2/12

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	60 - 100	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash skin with soap and water. Get medical attention if irritation develops and

persists. Take off contaminated clothing and wash before reuse.

Inhalation If symptoms persist, call a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center

immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Difficulty in breathing. Dizziness.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to PhysicianTreat symptomatically. Because of the danger of aspiration, emesis or gastric

lavage should not be employed unless the risk is justified by the presence of

additional toxic substances.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use:. Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing Media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Vapors can form explosive mixtures with air. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

Uniform Fire Code Combustible Liquid: II

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment A vapor suppressing foam may be used to reduce vapors.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Use clean non-sparking tools to collect absorbed material. Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.



7. HANDLING AND STORAGE

Precautions for safe handling

Handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and

bonding connection when transferring this material to prevent static discharge, fire or explosion. Use according to package label instructions. Use personal protection equipment. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment.

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local

regulations.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES



Physical and Chemical Properties

Physical StateLiquidAppearanceClearOdorPetroleum distillatesColorNo information availableOdor ThresholdNo information available

<u>Values</u> **Property** Remarks/ Method **UNKNOWN** pН None known Melting / freezing point None known No data available Boiling point / boiling range 157 °C / 315 °F 42 C / 108 F None known **Flash Point** None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known **Water Solubility** Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known **Explosive properties** No data available **Oxidizing Properties** No data available

Other Information

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

Particle Size Distribution



10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

•

Inhalation Specific test data for the substance or mixture is not available. May cause drowsiness and

dizziness.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May be fatal if swallowed and enters airways.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Solvent naphtha (petroleum), medium aliphatic 64742-88-7	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat)4 h	

Information on toxicological effects

Symptoms Difficulty in breathing. Vapors may cause drowsiness and dizziness.



Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Target Organ Effects Respiratory system.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal)

3,000.00 mg/kg (ATE)

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Solvent naphtha (petroleum),	96h EC50: = 450 mg/L	96h LC50: = 800 mg/L		48h EC50: > 100 mg/L
medium aliphatic	(Pseudokirchneriella	(Pimephales promelas)		_
64742-88-7	subcapitata)			

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.



Page 8/12

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 213

14. TRANSPORT INFORMATION

DOTNOT REGULATED (If shipped in NON BULK packaging by ground transport)

Proper Shipping Name NON-REGULATED

Hazard Class N/A Emergency Response Guide 128

Number

TDG

<u>U</u>N-No. UN1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3
Packing Group III

<u>MEX</u>

UN-No. UN1268

Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group

Description UN1268 Petroleum distillates, n.o.s.,3,III

ICAO

UN-No. UN1268

Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group III

Description 1268,Petroleum distillates, n.o.s.,3,PG III

IATA

UN-No. 1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3
Packing Group III

Description UN1268,Petroleum distillates, n.o.s.,3,PG III

IMDG/IMO

UN-No. 1268



Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group III
EmS No. F-E, S-E

Description 1268, Petroleum distillates, n.o.s.,3,PG III, FP 42C

UN-No. 1268

Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group III
Classification code F1

Description 1268 Petroleum distillates, n.o.s.,3,III

ADR

UN-No. UN1268

Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group III
Classification code F1

Description UN1268 Petroleum distillates, n.o.s.,3,III

ADN

UN-No. UN1268

Proper Shipping Name Petroleum distillates, n.o.s.

Hazard Class 3
Packing Group III
Classification code F1

Description UN1268 Petroleum distillates, n.o.s.,3,III

Hazard Labels 3
Limited Quantity LQ7
Ventilation VE01

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden release of pressure hazardNoReactive HazardNo



CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Solvent naphtha (petroleum), medium aliphatic	Χ				1
64742-88-7					

International Regulations

Canada WHMIS Hazard Class B3 - Combustible liquid



16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 2 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 1 Flammability 2 Physical Hazard 0 Personal Protection

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

08-Nov-2013

Revision Note No information available

Disclaimer

Revision Date

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



End of Safety Data Sheet

