# SAFETY DATA SHEET

Issuing Date 05-May-2015 Revision Date 05/28/15 Revision Number 7



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Green Envy Driveway Cleaner

Other means of identification

**UN-No.** UN3253

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Paint or Varnish Remover (Paint or Paint-Related)

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Sunnyside Corporation

Supplier Address 225 Carpenter Avenue

Wheeling IL 60090 US

**Supplier Phone Number** Phone:8475415700

Fax:8475419043

Supplier Email sscontact@sunnysidecorp.com

Emergency telephone number Chem Trec 800-424-9300

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1



### GHS Label elements, including precautionary statements

### **Emergency Overview**

Signal word

**Danger** 

#### Hazard Statements

Causes severe skin burns and eye damage



**Appearance** Clear

Physical state Liquid

Odor Mild

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **Hazards not otherwise classified (HNOC)**

Not applicable

### **Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity



#### Other information

No information available

### **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Sodium Metasilicate	6834-92-0	.01 - 5	

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate

medical attention/advice.

**Skin contact** Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Seek immediate medical attention/advice.

**Inhalation** Remove to fresh air. If breathing is difficult, (trained personnel should) give

oxygen. If not breathing, give artificial respiration. Avoid direct contact with skin.

Use barrier to give mouth-to-mouth resuscitation.

**Ingestion** Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or

poison control center immediately.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation.

**Effects** 

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy



\_\_\_\_\_

sputum, and high pulse pressure.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.).

Uniform Fire Code Corrosive: Other--Liquid

### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Stop leak if you can do it without risk.

Other Information DO NOT GET WATER INSIDE CONTAINERS.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory

equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Incompatible Products Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Guidelines**This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face protection shield.

Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all

contaminated protective equipment before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state Liquid



Appearance Clear Odor Mild

Color No information available Odor Threshold No information available

None known

Property Values Remarks Method

None known Hq 13.2 Melting / freezing point No data available None known Boiling point / boiling range 100 °C / 212 °F None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
No data available
No data available
No data available

Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Completely soluble None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Explosive properties

Oxidizing properties

No data available
No data available
No data available

**Other Information** 

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

### **Incompatible materials**

Acids. Bases. Oxidizing agent.

### **Hazardous Decomposition Products**

Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information



**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Metasilicate	= 600 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Chronic Toxicity

No known effect based on information supplied. Chronic exposure to corrosive fumes/gases

may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may

also be seen.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

# ATEmix (oral)

20,619.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium Metasilicate		96h LC50: = 210 mg/L (Brachydanio rerio)		96h EC50: = 216 mg/L

### Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available

### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

**Contaminated Packaging**Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D002

California Hazardous Waste Codes 122

# 14. TRANSPORT INFORMATION

DOT

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class N/A Packing Group III

Description UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

Emergency Response Guide 154

Number

<u>TDG</u> <u>UN-No.</u> UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION



Hazard Class 8
Packing Group III

**Description** UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

MEX

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class 8
Packing Group III

Description UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

**ICAO** 

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class 8
Packing Group III

Description UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

IATA

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class N/A Packing Group III

**Description** UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

IMDG/IMO

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class N/A
Packing Group III

**EmS-No.** F-A, S-B

**Description** UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

RID

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class 8
Packing Group III
Classification code C6

Description UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

**ADR** 

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class 8
Packing Group III
Classification code C6
Tunnel restriction code (E)

**Description** UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

ADN

**UN-No.** UN3253

Proper Shipping Name DISODIUM TRIOXOSILICATE SOLUTION

Hazard Class 8
Packing Group III
Classification code C6

Description UN3253, DISODIUM TRIOXOSILICATE SOLUTION, 8, III

Hazard Labels 8 Limited Quantity 5 KG

# 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

IECSC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

## International Regulations

Canada WHMIS Hazard Class Non-controlled



# **16. OTHER INFORMATION**



NFPA Health Hazards 3 Flammability 0 Instability 0 Physical and

HMIS Health Hazards 3 Flammability 0 Physical Hazard 0 Personal Protection

Χ

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 05-May-2015

**Issuing Date** 05-May-2015 **Revision Date** 05-May-2015

Revision Note No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

