**Product Number 778** Revised On 05/04/2015

#### 1 Identification of the substance and manufacturer

Trade name: M-1 MUTLT-PURPOSE CLEANER

Chem Trec 800-424-9300 **Emergency Contact:** Manufacturer email: sscontact@sunnvsidecorp.com

Sunnyside Corporation 225 Carpenter Ave Wheeling, IL 60090 8475415700

## 2 Hazard(s) identification

## Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Eye Irrit. 2A H319 Causes serious eye irritation.

**GHS Hazard pictograms** 

Signal word Warning

Hazard statements Contains gas under pressure; may explode if heated.

Causes serious eye irritation. Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children. Read label before use.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. Protect from sunlight. Store in a well-ventilated place.

# 3 Composition/information on ingredients

**Chemical characterization: Mixtures** 

**Chemical Description:** This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
74-98-6	propane	3.15%
106-97-8	n-butane	1.85%
1336-21-6	ammonia	0.58%

#### 4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

Remove contaminated clothing. Wash exposed area with soap and water. After skin contact:

Rinse opened eye for several minutes under running water. After eye contact:

Rinse out mouth and then drink plenty of water. After swallowing: Rinse mouth with water. Do not induce vomiting.

Most important symptoms and

effects:

Indication of any immediate medical

attention needed: No further relevant information available.

# 5 Fire-fighting measures

**Extinguishing agents:** 

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards: Can form explosive gas-air mixtures. Protective equipment for

firefighters: A respiratory protective device may be necessary.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

# 7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Storage requirements: Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing

conditions. Store locked up.

# 8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

74-98-6 propane

PEL (USA) Long-term value: 1800 mg/m<sup>3</sup>, 1000 ppm REL (USA) Long-term value: 1800 mg/m³, 1000 ppm

(Contd. on page 2)

Printing date 05/04/2015 Revised On 05/04/2015

#### M-1 MUTLT-PURPOSE CLEANER

TLV (USA) refer to Appendix F

(Contd. of page 1)

106-97-8 n-butane

REL (USA) Long-term value: 1900 mg/m³, 800 ppm TLV (USA) Short-term value: 2370 mg/m<sup>3</sup>, 1000 ppm

Hygienic protection: Wash hands after use.

Do not eat or drink while working.

**Breathing equipment:** A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be

worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygeine.

Aerosol.

Hand protection: Protective gloves. The glove material must be impermeable and resistant to the substance.

Eye protection: Tightly sealed goggles

#### 9 Physical and chemical properties

Appearance: Odor: Aromatic Odor threshold: Not determined. pH-value: Not determined. Melting point/Melting range Undetermined. **Boiling point:** -44 °C (-47 °F) -19 °C (-2 °F) Flash point: Flammability (solid, gas): Extremely flammable. **Decomposition temperature:** Not determined.

Auto igniting: Product is not self-igniting.

Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: Not determined. **Upper Explosion Limit:** Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

**Relative Density:** Between 0.77 and 0.85 (Water equals 1.00)

Vapour density Not determined. **Evaporation rate** Not applicable. Partition coefficient: n-octonal/water: Not determined. Solubility: Not determined. Viscosity: Not determined. 513.5 g/l / 4.29 lb/gl

**VOC** content: VOC content (less exempt solvents): 5.9 %

93.5 % Water: MIR Value: 0.07 Solids content: 0.6 %

#### 10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing Conditions to avoid:

temperatures. Not fully evaluated.

Chemical stability: Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

## 11 Toxicological information

#### LD/LC50 values that are relevant for classification:

106-97-8 n-butane

Inhalative LC50/4 h 658 mg/l (rat)

Information on toxicological effects: No data available. Skin effects: No irritant effect. Eye effects: No irritating effect.

Sensitization: No sensitizing effects known.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

#### 12 Ecological information

Aquatic toxicity: Hazardous for water, do not empty into drains.

Persistence and degradability: The product is degradable after prolonged exposure to natural weathering processes.

Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

Printing date 05/04/2015 Revised On 05/04/2015

#### M-1 MUTLT-PURPOSE CLEANER

Other adverse effects: No further relevant information available.

(Contd. of page 2)

## 13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

**Recommendation:** Completely empty cans should be recycled.

## 14 Transport information

UN-Number UN1950 DOT UN1950

DOT Aerosols, flammable 1950 Aerosols

Transport hazard class(es):

Class 2.1 Marine pollutant: No

Special precautions for user: Warning: Gases

EMS Number: F-D,S-Ŭ

Segregation groups Ammonium compounds
Packaging Group:
UN "Model Regulation":
UN1950, Aerosols, 2.1

#### 15 Regulatory information

## SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

#### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

CPSC: This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

# California Proposition 65 chemicals known to cause cancer:

None of the ingredients in this product are listed.

## **CANADIAN ENVIRONMENTAL**

PROTECTION ACT: All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

EPA:

None of the ingredients is listed.

#### 16 Other information

Contact: Regulatory Affairs Date of preparation / last revision 05/04/2015 / -