



Product Number: 637

Product Name: 2-Minute Remover Aerosol

USE AND SAFETY INFORMATION

Directions: For your safety, read and follow all information on this container before using. Use this product outdoors if possible. If used indoors provide plenty of fresh air by opening all doors and windows to achieve cross ventilation. Do not use in basement or other unventilated areas.

Application:

1. Wear chemical resistant gloves and chemical splash goggles.
2. Shake well. Hold can in an upright position approximately 8-10" from surface. Using a back and forth motion, apply remover to a small area at a time (up to 8 square feet). Health and safety risks are much greater if used over larger areas.
3. Allow 2-10 minutes for remover to work.
4. When varnish wrinkles or softens, remove with putty knife, scraper, steel wool or rags.
5. Surface may be cleaned with paint thinner or water. Do not use water on fine woods or veneers as it may raise the grain.
6. Dispose of residue in accordance with local regulations.

Caution: This product can cause damage to most materials on contact. Avoid contact with all surfaces except those being worked on. Damages rubber, asphalt tile, plastic, fiberglass and other synthetic materials. Product should be stored in a cool place and used within six months.

CAUTIONS: CONTAINS METHYLENE CHLORIDE, METHANOL, ISOPROPANOL, ETHYLENE GLYCOL MONOBUTYL ETHER AND HYDROCARBON PROPELLANT. Cannot be made non-poisonous. Keep away from heat, sparks and flame. Contact with flames or hot surfaces can produce toxic gases. Vapors are given off rapidly and may ignite explosively. Vapors are heavier than air and may travel long distances to other rooms or lower areas. DO NOT smoke. Extinguish all flames and pilot lights and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may linger for 30 minutes or more after use. Do not turn ignition sources on until certain that all vapors are gone.

Health Note: Contains Methylene Chloride which has been shown to cause cancer in certain laboratory animals. Possible risk to your health depends on level and duration of exposure.

Other Health Hazards: If during use you experience discomfort such as eye watering, headache or dizziness, increase fresh air or leave the area. The use of a respirator is not recommended unless professionally supervised. Dust masks provide no protection from vapors. Persons with heart or respiratory problems should avoid use of this product. Exposure to Methylene Chloride, a component of this product, REDUCES THE BLOOD'S OXYGEN CARRYING CAPACITY. Reports have associated repeated or prolonged occupational exposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling vapors may be harmful or fatal. May be harmful if absorbed through skin.

WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.

First Aid: If swallowed, DO NOT induce vomiting, GET IMMEDIATE MEDICAL ATTENTION! Call physician, hospital emergency room or poison control center immediately. In case of eye or skin contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention. Use only with adequate ventilation.

DANGER! CONTENTS UNDER PRESSURE.

Do not puncture or incinerate. Do not store at or expose to temperatures above 120°F. Exposure to heat or prolonged exposure to sun can cause bursting.

Use only with adequate ventilation.

KEEP OUT OF REACH OF CHILDREN.

California SCAQMD Rule 443.1: Max. VOC: 181 g/L; Max. Vapor Pressure: Non-Exempt VOC: 100 mm Hg; Exempt VOC: 350 mm Hg; Non-photochemically Reactive. Less than 50% VOC.