



Product Number: 843

Product Name: Universal Retarder

USE AND SAFETY INFORMATION

Safety Note: WARNING! MAY BE HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. SKIN AND EYE IRRITANT. MAY BE HARMFUL IF ABSORBED THROUGH SKIN. COMBUSTIBLE LIQUID AND VAPOR.

Directions: Follow coating manufacturer's instructions for thinning, using only recommended amounts. Do not use more than recommended, usually starting with a ratio of 4 ounces per gallon.

CAUTIONS: CONTAINS ETHYLENE GLYCOL MONOBUTYL ETHER. Keep away from heat, and flame. Prevent vapor build-up. Open all doors and windows to provide plenty of fresh air equal to outdoor conditions. DO NOT use without fresh air ventilation. DO NOT smoke. Do not transfer to unlabeled containers. Close container after each use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container and unused contents in accordance with local, state and federal regulations.

ATTENTION: Do not attempt to start or re-ignite charcoal, wood or any other fire with this product. An explosive fire may result or fire may flash back into the can and explode.

Health Hazards: Vapor harmful. May affect the brain or nervous system causing dizziness, headache or nausea. Causes eye, skin, nose and throat irritation. Avoid breathing vapor or spray mist. If you experience eye watering, headaches, dizziness or have difficulty breathing, increase fresh air or wear respiratory protection (NIOSH approved) or leave the area to obtain fresh air. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Contains Ethylene Glycol Monobutyl Ether which may cause blood damage based on animal data.

WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.

First Aid: If swallowed, DO NOT induce vomiting. GET IMMEDIATE MEDICAL ATTENTION! Call physician or hospital emergency room or poison control center immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. If overcome by vapors, remove to fresh air and get medical attention.

KEEP OUT OF REACH OF CHILDREN.

California SCAQMD Rule 443.1: Max. VOC: 900 g/L; Max Vapor Pressure of VOC: 0.6 mm Hg; Non-Photochemically Reactive.